



Self-built house production of uninterrupted power supply

Source: <https://extremeweekend.pl/Thu-20-Nov-2025-32077.html>

Website: <https://extremeweekend.pl>

This PDF is generated from: <https://extremeweekend.pl/Thu-20-Nov-2025-32077.html>

Title: Self-built house production of uninterrupted power supply

Generated on: 2026-02-10 23:22:41

Copyright (C) 2026 EXTREME POWER. All rights reserved.

For the latest updates and more information, visit our website: <https://extremeweekend.pl>

9 First, Python's self is not a keyword, it's a coding convention, the same as Python's cls. Guido has written a really detailed and valuable article about the origin of Python's support for class, ...

Why is cls sometimes used instead of self as an argument in Python classes? For example: class Person: def __init__(self, firstname, lastname): self.rstname = firstname self.

17 What is self? In Python, every normal method is forced to accept a parameter commonly named self. This is an instance of class - an object. This is how Python methods ...

Are you supposed to use self when referencing a member function in Python (within the same module)? More generally, I was wondering when it is required to use self, not ...

Everyone is aware of this in javascript, but there are also instances of self encountered in the wild, such as here So, what is the difference between this and self in ...

I think it is setting the id for each list item as each item in the numbers array? Correct me if wrong - but is each id being set as whatever Int is in each entry of the numbers array? If ...

Self is an alias for the type that the impl block is for. The rules of ownership and borrowing apply to self as they apply to any other parameter (see e.g. this answer). Examples ...

For a language-agnostic consideration of the design decision, see What is the advantage of having this/self pointer mandatory explicit?. To close debugging questions where OP omitted a ...

In this case, there are some benefits to allowing this: 1) Methods are just functions that happen defined in a

class, and need to be callable either as bound methods with implicit ...

A.x is a class variable. B "s self.x is an instance variable. i.e. A "s x is shared between instances. It would be easier to demonstrate the difference with something that can be modified like a list:

Web: <https://extremeweekend.pl>

